

Pelican Care Products Ltd. Unit 16. Harrison Road, Airfield Business Park, Market Harborough, LE16 7UL. Tel: 02080178560

Version: 10.0

HEAVY DUTY SCRUBBER DRIER DETERGENT

0904

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Heavy Duty Scrubber Drier Detergent 5ltr

: 0904 Product code

Type of product Technical product

Relevant identified uses of the substance or mixture and uses advised against

121 Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Floor cleaner

122 Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Merton Group UK Ltd Unit 9 Foxholes Road off Golf Course Lane Leicester LE3 1TH

Tel: 0116 231 4040 Fax: 0116 287 3570 Email: headoffice@mertongroup.co.uk

Emergency telephone number

Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A H314 Eye Dam. 1 H318

Full text of H-phrases: see section 16

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Hazardous ingredients : 2-Ethylhexanol, ethoxylated, sodium hydroxide, caustic soda

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage Precautionary statements (CLP)

: P264 - Wash hands thoroughly after handling

P280 - Wear eye protection, protective gloves

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P315 - Get immediate medical advice/attention

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

Document generated @ 14/04/2017 13:05:50 Page 1 of 7

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Ethylhexanol, ethoxylated	(CAS No) 26468-86-0 (EC no) 607-943-2	1 - 5	Xi; R41	Eye Dam. 1, H318
sodium hydroxide, caustic soda	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6	1 - 5	C; R35	Skin Corr. 1A, H314
Fatty alcohol alkoxylate	(CAS No) Polymer_DT108	1 - 5	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it

before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get

immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Corrosive vapours.

fire

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

Document generated @ 14/04/2017 13:05:50

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids.

Incompatible materials : Metals.

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Not required for normal conditions of use

Respiratory protection : Not required for normal conditions of use





SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid.

Colour : dark yellow.

Odour : characteristic.

Odour threshold : No data available

pH : 13

: No data available Relative evaporation rate (butylacetate=1) Melting point No data available Freezing point : No data available : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapour pressure Relative vapour density at 20 °C : No data available

Relative density : 1.02

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

0904

HEAVY DUTY SCRUBBER DRIER DETERGENT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No additional information available

Conditions to avoid 10.4.

No additional information available

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 13

: Causes serious eye damage. Serious eye damage/irritation

pH: 13

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified : Not classified

Specific target organ toxicity (repeated

exposure)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

2-Ethylhexanol, ethoxylated (26468-86-0)			
LC50 fishes 1	13 mg/l		
EC50 other aquatic organisms 1	6.5 mg/l EC50 waterflea (48 h)		
EC50 other aquatic organisms 2	6.6 mg/l IC50 algea (72 h) mg/l		
Fatty alcohol alkoxylate (Polymer_DT1	08)		
EC50 other aquatic organisms 1	≈ 1 - 10 mg/l		

12.2. Persistence and degradability

No additional information available

Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1760 UN-No. (IMDG) : 1760 UN-No. (IATA) : 1760

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA) : CORROSIVE LIQUID, N.O.S.

Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E)

Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S., 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5L

Safety Data Sheet

according to Regulation (EC) No. 453/2010

: E1 Excepted quantities (ADR)

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 : T7

Portable tank and bulk container instructions (ADR)

Portable tank and bulk container special : TP1, TP28

provisions (ADR)

: L4BN Tank code (ADR) : AT Vehicle for tank carriage Transport category (ADR) : 3 : V12 Special provisions for carriage - Packages

(ADR)

Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

Tunnel restriction code (ADR) : E EAC code : 2X APP code : B

- Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 : T7 Tank instructions (IMDG) Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 : 5L PCA max net quantity (IATA) : 856 CAO packing instructions (IATA) : 60L CAO max net quantity (IATA) Special provisions (IATA) : A3 ERG code (IATA) : 8L

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

National regulations 15.1.2.

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS.

Annex 4)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Corr. 1A	Skin corrosion/irritation, Category 1A		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
H314	Causes severe skin burns and eye damage		
H315	Causes skin irritation		
H318	Causes serious eye damage		
H319	Causes serious eye irritation		

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated @ 14/04/2017 13:05:50