

Pelican Care Products Ltd, Unit J6, Harrison Road, Airfield Business Park, Market Harborough, LE16 7UL.

Tel: 02080178560

#### **ECODOSING GLASS AND STAINLESS STEEL CLEANER**

0605

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Ecodosing Glass and Stainless Steel Cleaner 1ltr

Product code : 0605

Type of product : Technical product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Glass Cleaner

1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Merton Group UK Ltd Unit 9 Foxholes Road off Golf Course Lane Leicester LE3 1TH

Tel: 0116 231 4040 Fax: 0116 287 3570 Email: headoffice@mertongroup.co.uk

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226 Eye Irrit. 2 H319

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H319 - Causes serious eye irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P264 - Wash hands thoroughly after handling P280 - Wear eye protection, protective gloves

P102 - Keep out of reach of children

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

# 3.2. Mixture

Document generated @ 14/04/2017 13:05:50 Page 1 of 6

## **ECODOSING GLASS AND STAINLESS STEEL CLEANER**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol, isopropyl alcohol, isopropanol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01- 2119457558-25	5 - 15	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
N,N-dimethyltetradecylamine N-oxide	(CAS No) 3332-27-2 (EC no) 222-059-3 (REACH-no) 01- 2119949262-37	1 - 5	Xi; R41 Xi; R38 N; R50	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of R- and H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Give nothing or a little water to drink. Get medical advice/attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

No additional information available

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

# 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Document generated @ 14/04/2017 13:05:50 Page 2 of 6

# **ECODOSING GLASS AND STAINLESS STEEL CLEANER**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Special rules on packaging : Keep only in original container.

## 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)				
Belgium	Limit value (mg/m³)	500 mg/m³		
Belgium	Limit value (ppm)	200 ppm		
Belgium	Short time value (mg/m³)	1000 mg/m³		
Belgium	Short time value (ppm)	400 ppm		
Denmark	Local name	Isopropylalkohol (2005)		
Denmark	Grænseværdie (langvarig) (mg/m³)	490 mg/m³		
Denmark	Grænseværdie (langvarig) (ppm)	200 ppm		
Germany	TRGS 900 Limitation of exposure peaks (mg/m³)	1000 mg/m³		
Ireland	Local name	Isopropyl alcohol		
Ireland	OEL (8 hours ref) (ppm)	200 ppm		
Ireland	OEL (15 min ref) (ppm)	400 ppm		
Ireland	Notes (IE)	Sk		
Netherlands	Grenswaarde TGG 8H (mg/m³)	650 mg/m³		
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0 mg/m³		
United Kingdom	Local name	Propan-2-ol		
United Kingdom	WEL TWA (mg/m³)	999 mg/m³		
United Kingdom	WEL TWA (ppm)	400 ppm		
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³		
United Kingdom	WEL STEL (ppm)	500 ppm		

## 8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : In case of repeated or prolonged contact wear gloves

Eye protection : Safety glasses

Skin and body protection : Not required for normal conditions of use

Respiratory protection : Not required for normal conditions of use



## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Liquid.Colour: Blue.Odour: characteristic.Odour threshold: No data available

pH : 6.3

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : >=  $100 \,^{\circ}$ C Flash point :  $\approx 40 \,^{\circ}$ C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available

Document generated @ 14/04/2017 13:05:50 Page 3 of 6

# **ECODOSING GLASS AND STAINLESS STEEL CLEANER**

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: No data available Vapour pressure Relative vapour density at 20 °C : No data available

Relative density

Solubility : No data available Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### Other information

No additional information available

## SECTION 10: Stability and reactivity

#### Reactivity

No additional information available

#### **Chemical stability**

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### **Conditions to avoid** 10.4.

No additional information available

## Incompatible materials

No additional information available

#### **Hazardous decomposition products** 10.6.

No additional information available

## SECTION 11: Toxicological information

#### Information on toxicological effects 11.1.

Acute toxicity : Not classified Skin corrosion/irritation : Not classified

pH: 6.3

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.3

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Aspiration hazard

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LC50 fish 1	9640 mg/l	
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	

N,N-dimethyltetradecylamine N-oxide (3332-27-2)	
LC50 fish 1	2.4 mg/l
EC50 other aquatic organisms 1	1.1 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 0.08 mg/l IC50 algea (72 h) mg/l

# Persistence and degradability

No additional information available

Document generated @ 14/04/2017 13:05:50 Page 4 of 6

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 12.3. Bioaccumulative potential

## propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Log Pow 0.14

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

No additional information available

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : Not applicable

#### **IMDG**

Transport hazard class(es) (IMDG) : Not applicable

# IATA

Transport hazard class(es) (IATA) : Not applicable

# 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

# 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

## - Overland transport

No data available

## - Transport by sea

No data available

#### - Air transport

No data available

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Document generated @ 14/04/2017 13:05:50

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

## 15.1.2. National regulations

## Germany

VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS,

Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Ontwikkeling

: None of the components are listed

: None of the components are listed

## Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

#### Full text of R-, H- and EUH-statements:

,		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	

## SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated @ 14/04/2017 13:05:50 Page 6 of 6